

Multifunction cooking device

Project	
Articel	
Quantity	
FCSI Section	
Authorisation _	
Date	

Convotherm flexx pro 101 DL



Standard Equipment:

- Automatic water filling system
- Liquid level gauge
- Multipoint core probe
- Integrated drain in bottom with electronic closing/opening system, 2 speeds of tilting
- Automatic basket lifting with safety sensor for lifting arm possibility of cooking in baskets with closed cover
- Integrated retractable shower
- Integrated socket 230 V /16 A
- USB port backup and data transfer
- HACCP data, Internet connection
- Optional version for plinth instalation

Technology:

Boiling

Gentle boiling

Deep frying

Frying

Braising

Low temperature cooking

Grilling Confit

Sous – vide

Overnight cooking

Temperature range: 30°C-250°C

Functions:

Automatic and manual cooking process

12" colour touch screen with intuitive control

Language mutation

Possibility to create and save own programs

Actual values visible on screen

Precise sensor temperature control

Memory of 800 programs with 12 steps

Clear visualisation of the cooking process on the display

Display of error messages on the display

Technical and service information

Display lock adjustable On / Off

Construction:

Unit base frame - material CNS (DIN 1.4301), minimum thickness 2 mm

Frame housing material CNS (DIN 1.4301)

Pan - material CNS (DIN 1.4401), welded on both sides

Special bottom of the pan

JPX 17 heating system with full-surface heat distribution using stainless steel heating elements

Preheating time of the pan base to the operating temperature of 180 °C within 3 minutes

Double-walled, robust lid

Steam removal through the chimney in the centre of the lid

Central power, water and waste water connections

Gapless block construction of several appliances next to each other possible

Certificates: CE, TUV-SUD

Distributor:

Welbilt Deutschland GmbH Talstraße 35, 82436 Eglfing, Germany Tel: +49(0)8847 67-0 Fax: +49(0)8847 414 www.convotherm.com

1 | 3



Multifunction cooking device

Technical data

Electric

Water

Weight

Convotherm flexx pro 101 DL

Technical Data:

Volume: 2 x 79 Liter – DIN 18857

GN capacity: 2 x GN 1/1 Bottom pan dimension: 2 x 540 x 557 mm

Depth: 280 mm Cooking surface: 2 x 30 dm2

Dimensions (WxDxH): 1756 x 850 x 1050 mm

Weight: 395 kg

Electric Connection:

3N~ 400V 50Hz


Power connected load: 36,9 kW


Fuse: 50 A


Water Connection:

Water inlet: R3/4Water outlet: DN - 50

Connection to hot water up to 50°C possible







- ① Drain DN 50
- ② Water connection
- ③ Electric connection
- Ethernet socket RJ 45
- ⑤ Ground

Distributor:

Welbilt Deutschland GmbH Talstraße 35, 82436 Eglfing, Germany Tel: +49(0)8847 67-0 Fax: +49(0)8847 414 www.convotherm.com



Multifunction cooking device

Convotherm flexx pro 101 DL

Recommended accessories:

Basket Extension Arm Basket Extension Arm

Basket Extension Arm

Basket Extension Arm Basket Extension Arm

Stainless steel stand

with pull-out shelves Stainless steel stand with pull-out shelves

(on castors) Sieve DS

Sieve DL

Sieve DM

Sieve

Accessories



3301103									
	Part no.	101 DS	101 DM	101 DL	101	101 P	151	151 P	201
Battery powered lifting trolley	AC-00001	•	•	·	•	•	·	•	•
Oil filtration trolley	AC-00002	•	•	v	•	•	v	•	•
Handling trolley for baskets	AC-00003	•	•	•	•	•	·	•	•
Basket Extension Arm	AC-01-001	•	-	-	-	-	-	-	-
Basket Extension Arm	AC-01-009								-

AC-01-003 AC-01-010

AC-01_005

AC-01-007

AC-05-002

AC-05-003

AC-04-001

AC-04-011

AC-04-008 AC-04-003













Spatula small	AC-03-001		~		-	-	-	-	-	-
Spatula big	AC-03-002		-	-	•	•		•	•	
Spatula for omelette	AC-03-004		•	•	•	~	~	•	~	~
Cooking basket F	AC-02-005			•	-	-	-	-	-	-
Cooking basket	AC-02-003		-	-	•			•	•	~
Cooking basket DS	AC-02-001	ł		-	-	-	-	-	-	-
Frying basket DS	AC-02-002	ł		-	-	-	-	-	-	-
Frying basket DL	AC-02-012		-	-	•	-	-	-	-	-
Frying basket DM	AC-02-013		-	•	-	-	-	-	-	-
Frying basket	AC-02-004			-	-				•	v
Grate for NT / DM	AC-02-011			-	-	-	-	-	-	-
Grate for NT / DL	AC-02-010		-	-	~	-	-	-	-	-
Grate for NT	AC-02-009		~	-	-	~	~	•	•	

mmended set of accessories: 1x 2x 3x 4x 6x 8x

Cleaning sponge

Note: Subject to errors and changes. All prices in Euro. The general terms and conditions of Welbilt Deutschland GmbH shall apply. $GN = Gastro-norm\ 325\ mm\ x\ 530\ mm$. All previous price lists are replaced by this current version.

Distributor:

Welbilt Deutschland GmbH Talstraße 35, 82436 Eglfing, Germany Tel: +49(0)8847 67-0 Fax: +49(0)8847 414 www.convotherm.com

Manufactured by

3 | 3